



WINDING MACHINE & SPARE PARTS



CORAL







FAMAS
TRADE & ENGINEERING









info@famastrade.com

www.famastrade.com

+88 01748 479658












061
BTSR Yarn Direction Sensor C32



062
BTSR Yarn Tension Sensor



063
Yarn Break Sensor



064
Hall Sensor



065
Yarn Break Sensor




066
Yarn Deriction Sensor




067
Magnet Coil Tk2-20



068
Tensioner Magnet Coil



069
All types of LCD & LED Display



070
All types of Touchscreen



071
MT2 Terminal



072
Compact Cylinder 10-11-015




073
Spring Cylinder 16-50




074
Cylinder 16-80



075
Cylinder 20-200



076
Stepper Motor DP



077
Matrix Block Valve









078
Over Feeder Motor



079
Servo Motor-Xeno



080
Servo Motor 5302


















info@famastrade.com

www.famastrade.com

+88 01748 479658



121



Yarn Guide Sincro Motor

122



Yarn Guide Motor

123



Yarn Guide 1

124



Yarn Guide 2

125



BTSR Yarn Break Sensor

126



BTSR Yarn Tension Sensor

127




Yarn Feeder Motor

128




Spindle Motor

129




Tensioner Device

130




Drum Sensor

131



Encoder A00

132




Encoder B00

133



Encoder Disc-1

134



Encoder Disc-2

135



Encoder 5540

136



Oile Device Motor

137



Oil Device Motor -2

138



Adaptor

139



Keyboard

140



All types of Timing Belt



SPARE PARTS FOR TAINING



141



Potentiometer

142



Yarn Break Sensor

143




Support Roller for TN35

144




Membrane Keypad for TN35

145




Display for TN35

146



Spindle Control Card

147



Main Control Card

148



Yarn Break Sensor

SPARE PARTS FOR CORAL

149



Controller HMI unit

150



Gear Motor

151



Spindle Controller

152



Package Holder Arm

153



Stepper Motor

154



Rubber Ring

155



Cable With Connector

156



Proximity Sensor

157



Cooling Fan

158



Lever/JHandle

159



Spindle Controller

160



Winding CAM

info@famastrade.com

www.famastrade.com


+88 01748 479658



Different Sizes Aluminium and Bakelite Winding Cam




Different Types Plastic Solid Cone



Perforated dye tubes and dye cones Working Temp: 135C-140C



Different types SS Bobbin



Different types of Wax for Sewing Thread



Spindle Number: 6
 Speed: 150-200meter/Min
 Production Capacity: 12cones/Time
 Cone of Each Spindle:2
 Thread Length: 0-15000M
 Motor: 0.18kw , 220v/380v/440v , 50HZ/60HZ
 Dimension(L*W*H): 2.15m*0.8m*1.15m

Semi Automatic Low Speed Sewing Thread winding Machine

Winding Machine



info@famastrade.com

www.famastrade.com

+88 01748 479658



Speed: Up to 1200 meter/Min
 Package Diameter: Up to 160mm
 Package Weight: Up to 1Kg.
 No. of Spindle per Section: 4
 Cone Per Spindle: 2
 Intalled Power: 370W
 Power Consumption: 180W
 Size: 2010 X 887 X 1463mm




Semi Automatic High Speed Thread Winding Machine

Speed: Up to 1200 meter/Min
 Package Diameter: Up to 320mm
 Yarn Count: Up to 3300 dtex.
 No. of Spindle per Section: 5, Max: 5 X 8= 40
 Cone Per Spindle: 1
 Automatic Lubricating System
 Power Consumption: 180W
 Single section Size: 2285 X 1040 X 2300mm




Full Automatic High Speed Thread Winding Machine



Automatic High Speed Soft Winding Machine

Speed: Up to 1200 meter/Min
 Package Diameter: Up to 320mm
 Traverse Length: 170-230mm
 Package weight: Up to 2Kg.
 Yarn: Spun, Filament (Over 100D)
 No. of Spindle per Section: 5, Max: 5 X 12= 60
 Cone Per Spindle: 1 (Individual Drive)
 Automatic Lubricating System
 Power Consumption: 60W
 Single section Size: 1893 X 672 X 1582mm

Speed: Up to 1200 meter/Min
 Package Diameter: Up to 320mm
 Traverse Length: 30-250mm
 Package weight: Up to 2Kg.
 Yarn: Spun, Filament (Over 100D)
 No. of Spindle per Section: 5, Max: 5 X 12= 60
 Cone Per Spindle: 1 (Individual Drive)
 Automatic Lubricating System
 Power Consumption: 100W
 Single section Size: 1823 X 700 X 1550mm



Automatic High Speed Precision Hard Winding Machine



+88 01748 479658
+88 01911 987993



info@famastrade.com



www.famastrade.com



FAMAS
TRADE & ENGINEERING



House: 18D, Road: 18A, RUAP, Sector: 18,
Diabari, Uttara, Dhaka-1230, Bangladesh