


A TRUSTED QUALITY TRADING PARTNER

New and Secondhand Textile Machinery, Spare parts and Automation Service provider.



ABOUT FAMAS TRADE & ENGINEERING

FAMAS Trade and Engineering was founded in 2015 with a clear vision, strong Company philosophy of loyalty, commitment and complete dedication towards its objectives. As a result, the Company is achieving its position as one of the biggest, experienced, leading and professional business concern in its field of business. FAMAS Trade and Engineering is a company in Bangladesh that is mainly focusing on textile and garments machineries and spare parts all over the Bangladesh market.

With efficient handling of business transaction between buyers and sellers, FAMAS has achieved a credible reputation as dependable and reliable agent.

Customer's satisfaction, effective solution to their needs, after sales service and strong relationship with customers; and past track record provides the backbone of FAMAS success and developments.

Knowledge on market situation, professional approach, appropriate response, hard work and commitment to quality service of the entire working force has been helping the Company for its continuous growth and progress.

The future plans of the Company have been guided by the experience, knowledge of global and local market situation and very comprehensive vision. Thus, with meticulous professional management and teamwork the Company is prepared to accept and encounter any challenge it may face on its way of progress and developments. FAMAS is in continuous search for newer meaning of business, technological and intellectual advancement to serve its buyers and sellers always in a better way.

OUR SCOPE OF SUPPLY

CIRCULAR KNITTING MACHIE (BRAND NEW & SECONDHAND/RECONDITIONED)

FLAT KNITTING MACHINE (BRAND NEW)

FABRIC DYEING MACHINE (BRAND NEW & SECONDHAND/RECONDITIONED)

YARN DYEING MACHIE (BRAND NEW & SECONDHAND/RECONDITIONED)

THREAD WINDING MACHINE (BRAND NEW & SECONDHAND/RECONDITIONED)

FLAT KNITTING MACHINE (BRAND NEW)

WASHING MACHINE (BRAND NEW)

SCREW TYPE INDUSTRIAL AIR COMPRESSOR

SCISSOR LIFT, FROK LIFT, CARGO LIFT

STEAM BOILER

SPARE PARTS FOR KNITTING MACHINE (CIRCULAR, FLAT AND SOCKS KNITTING)


SPARE PARTS FOR YARN AND FABRIC DYEING MACHINE

SPARE PARTS FOR THREAD WINDING MACHINE


SPARE PARTS FOR DYER, SQUIZER, STENTER & COMPACTOR MACHINE

SPARE PARTS FOR DIGITAL AND ROTARY PRINTING MACHINE


ALL TYPES OF INDUSTRIAL VFD, PLC, HMI, DISPLAY & TOUCHSCREEN



Single Jersey, Double Jersey,
Auto Striper
3Feeder, 4Feeder Etc.



FABRIC DYEING MACHINE (CPSULE & JET TYPE)-(NEW & SECONDHAND)



High temperature fabric dyeing machine
suitable for cotton knit & polyester fabrics.
Liquir ratio: 1:4,



YARN DYEING MACHINE-HORIZONTAL & VERTICAL TYPE-(NEW & SECONDHAND)



BRAND NEW YARN HYDROEXTRACTOR & RF DRYER



GARMENTS DYEING MACHINE



This machine is suitable for washing and post finishing for denim jeans, casual pants and cotton kniware of various fabric



This machine is suitable for garments dyeing and soft post finishing of product such as jeans, casual pants and cotton knitted sweater shrit, socks, hats, seamless underwear and more

CENTRIFUGAL DEWATERING MACHINE



This machine is suitable for dehydration of procdtct such as jeans, casual pants, socks, seamless underwear and cotton knitware

MULTI FUNCTION FABRIC INSPECTION MACHINE

Feature:

1. set cloth inspection, cloth rolling, re-rolling with edge alignment control, counting in one.
2. Equipped with electric eye control tension-free feeding cloth, forward and reverse function.
3. Speed adjustable, Equipped with Smoothing fabric roller Measuring length, automatic counting, LED lamp tube,



SINGLE HEAD NEDDLE DETECTOR



Specification parameters:

1. Voltage: AC220V-240V/50-60Hz
2. Power: 600W
3. Detection method: Magnetic sensor
4. Sensitivity: Iron ball $\Phi 1.0\text{mm}$
5. Induction of adjustment: Level 1-10
6. Detect surface width : 600mm
7. Alarm: Buzzer, light-emitting tube
8. Transmission speed: 32m/min(50Hz) 40m/min(60Hz)
9. Dimension(mm): 1650*1050*900
10. Weight: 220kg

AUTOMATIC FABRIC SPREADING MACHINE



Feature:

1. Automatic edge smoothing device to Solve the edge curling problem of knitted, achieve the curling edge smooth,
2. Servo transmission device of driving cloth feeding roller precisely matches with the main servo, perfectly realizes tension-free fabric spreading, intelligently automatically adjusts the tightness and the edge to edge spreading accuracy is controlled within 5 mm.
3. Intelligent adjustment elastic device
4. Photoelectric anti-collision system with distance setting, automatically captures and recognizes obstacles in the working process





Speed: Up to 1200 meter/Min
 Package Diameter: Up to 160mm
 Package Weight: Up to 1Kg.
 No. of Spindle per Section: 4
 Cone Per Spindle: 2
 Installed Power: 370W
 Power Consumption: 180W
 Size: 2010 X 887 X 1463mm

Semi Automatic High Speed Thread Winding Machine

Speed: Up to 1200 meter/Min
 Package Diameter: Up to 320mm
 Yarn Count: Up to 3300 dtex.
 No. of Spindle per Section: 5, Max: 5 X 8= 40
 Cone Per Spindle: 1
 Automatic Lubricating System
 Power Consumption: 180W
 Single section Size: 2285 X 1040 X 2300mm







Full Automatic High Speed Thread Winding Machine



Speed: Up to 1200 meter/Min
 Package Diameter: Up to 320mm
 Traverse Length: 170-230mm
 Package weight: Up to 2Kg.
 Yarn: Spun, Filament (Over 100D)
 No. of Spindle per Section: 5, Max: 5 X 12= 60
 Cone Per Spindle: 1 (Individual Drive)
 Automatic Lubricating System
 Power Consumption: 60W
 Single section Size: 1893 X 672 X 1582mm

Automatic High Speed Soft Winding Machine

Speed: Up to 1200 meter/Min
 Package Diameter: Up to 320mm
 Traverse Length: 30-250mm
 Package weight: Up to 2Kg.
 Yarn: Spun, Filament (Over 100D)
 No. of Spindle per Section: 5, Max: 5 X 12= 60
 Cone Per Spindle: 1 (Individual Drive)
 Automatic Lubricating System
 Power Consumption: 100W
 Single section Size: 1823 X 700 X 1550mm

Automatic High Speed Precision Hard Winding Machine



Oil Lubricated Screw Air Compressor, Working Pressure: 7-10Bar, Working Power: 11KW-355KW

REFRIGERATED AIR DRYER

AIR RESERVOIR TANK

AUTO CONDENSATE DRAIN




GAS FIRED STEAM BOILER- 1-20 TON

BIOMAS STEAM BOILER 2TON



ALL TYPES OF SPARES PARTS FOR CIRCULAR KNITTING MACHINE



ALL TYPES OF SPARES PARTS FOR FLAT KNITTING MACHINE



ALL TYPES OF INDUSTRIAL LCD, LED AND TFT DISPLAY



DIFFERENTS TYPES OF INDUSTRIAL TOUCHSCREEN





ALL TYPES OF SPARE PARTS FOR WINDING MACHINE



VFD, PLC, HMI & OTHERS AUTOMATION EQUIPMENTS





Fongs Dyeing Controller FC28ex



Fongs Dyeing Controller FC30ex



Donbao Dyeing Controller DB9000F



Dyeing Controller TF9000A



SETEX Dyeing Controller



SEDOMAT Dyeing Controller




LAB Controller LA2002




LAB Controller HG-TC2002B



Fongs Module AM8



Fongs Module VM24



Fongs Module PM32EX



Keyboard for FC28ex controller



Membrane Keypad for FC28ex



Membrane Keypad for SEDOMAT



Fongs Panel Meter 1098, 1198, 1298



Burkert Fluid Controller 1067



PT-100 PROBE for Fongs 3, 6wire



PT-100 3wire, 6 wire-3meter



Different types of proximity sen



SP2801 Potentiometer



REED sensors



Sensor for Cylinder/piston



Gefran Loads cell



GICAM Load cell



Differnt types of Relay & Base



E-TON Safety Relay



PILZ Safety Relay



Finder Relay



Analog Timer Relay



Digital Timer Relay



ON/OFF delay Timer



Linear Actuator DC-12V/24V



Meanwell Powers Supply



BELIMO Damper Motor



Magnetic Proximity sensor

DIFFERENTS TYPES OF PRESSURE AND LEVEL SENSORS



NODING
Pressure Trnsmmitter



ELIAR
Pressure Trnsmmitter



WIKA A-10
Pressure Trnsmmitter



ENMOS
Pressure Trnsmmitter



MIDAS
Pressure Trnsmmitter



Danfoss
Pressure Trnsmmitter



WIKA S-11
Pressure Trnsmmitter



PDM-80
Pressure Trnsmmitter



PD-41-4P01
Pressure Trnsmmitter



ELIAR P-40
Pressure Trnsmmitter



ENMOS Bubble
Pressure Trnsmmitter



IVT2050
IP Converterter



IP Converter/Valve Positioner



Burkert Positioner Valve 2702



Burkert Fluid Control Valve



Yokogawa
Differential Trnsmmitter



ENMOS Seam Detector



SEAM Detector



Safety Pressure Switch



Potiner Potentiometer KL500



Liquid Lvel Sensor for Dyeing machine (4-20mA, 0-10V)



Liquid Level Gauge for Dyeing Machine



Magnetic Float
for Liquid Level



Teflon Coated Magnet
for Seam Detection



Pneumatic Solenoid Valve



Pneumatic Solenoid Valve Gang



Pneumatic Switch



Different Size Piston Cylinder



Square Type
Pneumatic Cylinder



Flat Type
Pneumatic Cylinder



Air Regulator
With Water Separator



Steam & Water
Pneumatic Valve



Diapharm Type
Pneumatic Valve



Pneumatic
Butterfly Valve



Steam Globe Valve



Pneumatic Fittings
I, L, Y Connectors & Regulators



Pneumatic Pipe Different color & Sizes



Pressure Gauge 0-100Kpa



Temperature Gauge 0-200C



3 Needle Temperature Gauge



0-9 Bar Pressure Gauge



SS & Bakelide Safety LID nut for Dyeing Machine



Moveable Nut



551 Mechanical Seal



JMK-Grongfoss Pump



120 Mechanical Seal



224 Mechanical Seal



1527 Mechanical Seal



59U Mechanical Seal



Mechanical Seal for Fongs



M7N for Thies



116U Mechanical Seal



110 Mechanical Seal



MG1 Mechanical Seal



104 Mechanical Seal




104U Mechanical Seal



M74 Mechanical Seal



B40 Mechanical Seal



108U Mechanical Seal



103 Mechanical Seal



HJ92N Mechanical Seal



Lock Nut FT-1



Lock Nut FT-2



Lock Nut FT-3



Lock Nut FT-4



Lock Nut FT-5



Lock Nut FT-6



Lock Nut FT-7



Lock Nut FT-8



Lock Nut FT-9



Lock Nut FT-10



Lock Nut FT-11



Lock Nut FT-12



Lock Nut FT-13



Lock Nut FT-14



Lock Nut FT-15



Lock Nut FT-16



Lock Nut FT-17



Lock Nut FT-18



Lock Nut FT-19



Lock Nut FT-20



STN-FT-CLIP-1



STN-FT-CLIP-2



STN-FT-CLIP-2



STN-FT-CLIP-2



STN-FT-CLIP-1



STN-FT-CLIP-2



STN-FT-CLIP-3



STN-FT-CLIP-4



STN-FT-CLIP-5



STN-FT-CLIP-6




STN-FT-CLIP-7



STN-FT-CLIP-8




STN-FT-CLIP-9



STN-FT-CLIP-9



STN-FT-CLIP-11



STN-FT-CLIP-12



STN-FT-CLIP-13



STN-FT-CLIP-14



STN-FT-PIN HOLDER-1



STN-FT-PIN HOLDER-2



STN-FT-PIN HOLDER-3



STN-FT-PIN HOLDER-4



STN-FT-PIN HOLDER-5



STN-FT-PIN HOLDER-6



STN-FT-PIN HOLDER-7



STN-FT-PIN HOLDER-8



STN-FT-PIN -1



STN-FT-PIN -2



STN-FT-PIN -3



STN-FT-PIN-4



STN-FT-PIN -5



STN-FT-PIN -6



STN-FT-CHAIN PART-1



STN-FT-CHAIN PART-2




STN-FT-CHAIN PART-3



STN-FT-CHAIN PART-4



STN-FT-BRUSH-1
Steam Rotary Connector



STN-FT-BRUSH-2



STN-FT-BRUSH-3



STN-FT-BRUSH-4




E+L FR5503 Edge Controller



E+L FR5503 Edge Sensor



Three Fingers Selvedge Uncurler



Flat Nylon PL Selvedge Uncurler



Stenter Fabric Cutting Edge Device



Stenter Fabric Cutting Edge Device



Gas burner controller LAL1.25




Gas burner controller IFS 244-3/1W1



Temperature controller FLEXFORD




Ignition Rod/Flame Rod



Steam Rotary Conector



Edge Cutter Balde




Edge Cutter Balde For Brukner



Blanket Felt for Compactor & Heat Setting Machine



PTFE Coveyor Belt for Dryer



Cylinder Active & Pasive Chuck JZ-01-01



Cylinder Active Pasive Chuck JZ-0106



Cylinder Active Pasive Chuck JZ-0104



Cylinder Active & Pasive Chuck JZ-0107



Cylinder Active Pasive Chuck AL640



Cylinder Bulkhead AL640



Kyocera Double Nozzle Digital Print head



RICOH Digital Print head



SMC IVT2050
IP Converterter/Valve Regulator



Kyocera Single Nozzle Digital Print head



SMC pressure switch ISE30A/ZSE30AF-01



Festo Span Pressure Sensor



SCISSOR LIFTS

Capacity: 200~2000kg
Lifting height: 4-16m
Driving mode: hydraulic drive
Power supply: diesel oil, storage battery, three-phase current
Travel methods: manual push, pull-type, walking-Assist wheel and vehicle-mounted style

ELECTRIC FORKLIFTS

Capacity: 1000-3500kg
Lifting height: 3m (Optional: 2-6m)
Power: Battery
(Optional: Lithium batteries)



HYDRAULIC CARGO LIFTS

Workshop Freight elevator
Number of floors: 1-5
Capacity: 500-8000 kg
Vertical walking height: 4.5-16m



ELECTRIC STACKER

Capacity: 1500kg
Lifting Height: 2000/2500/3000mm
Fork Size: 1080*140mm
Fork Width: 550/685mm
Battery Power: Lithium battery
Control: Handel / Full electric



TELESCOPIC BOOM LIFT

Capacity: 250kg
Platform Height: 19~30m
Working Radius: 17~23m
Power Source: Cummins Diesel Engine



MANUAL PALLET TRUCK

Capacity: 2-5ton
Fork length: 1150/1220mm
Fork width: 550/685mm
Fork height: 85~200mm





FAMAS

TRADE & ENGINEERING



+88 01748 479658

+88 01911 987993



info@famastrade.com



www.famastrade.com



House: 18D, Road: 18A, RUAP, Sector: 18,
Diabari, Uttara, Dhaka-1230, Bangladesh